From: Robert Helverson/R3/USEPA/US 9/5/2012 9:49:22 AM Sent: Richard Rupert/R3/USEPA/US To: lora.werner@epa.gov CC: Subject: Re: Fw: Ex. 6 - Personal Privacy | all - Saturday Sept 1 Thanks for this update Rich. If you receive any additional technical information (LEL or FID indoor air, headspace or other enclosed space concentrations) from PADEP ER (Augie) can you let us know? Robert H. Helverson Regional Representative Agency for Toxic Substances and Disease Registry (ATSDR), Region 3 Department of Health and Human Services 1650 Arch Street (3HS00) Philadelphia, PA 19103 (215) 814-3139 (Office) (215) 814-3003 (Fax) From: Richard Rupert/R3/USEPA/US To: "Lora Werner" <lora.werner@epa.gov>, "Robert Helverson" <Helverson.Robert@epamail.epa.gov> 09/05/2012 09:19 AM Subject: Fw: Ex.6-Personal Privacy all - Saturday Sept 1 FYI Richard Rupert On-Scene Coordinator Region III U.S.Environmental Protection Agency 1650 Arch Street, 3HS31 Philadelphia, PA 19103-2029 (215) 814-3463 FAX (215) 814-3254 e-mail rupert.richard@epa.gov ---- Original Message -----From: Richard Rupert Sent: 09/04/2012 01:39 PM EDT To: KAUGUSTINE@state.pa.us Cc: richard.fetzer@epa.gov; gerald.heston@epa.gov; dennis.carney@epa.gov Subject: Ex. 6 - Personal Privacy | Call - Saturday Sept 1

concerned for his health: she added that he was transported to the medical facility in Montrose for observation. According

I wanted to follow up on the phone conversation we had on Sunday so you would have all the details from my perspective.

At about noon on Saturday, September 1, Ex.6-Personal Privacy called me: I missed the call and returned it to her at 3:45pm.

Ex. 6 - Personal Privacy and been sleeping in the living room when the sensor alerted. According to Ex. 6 - Personal Privacy had come to their current residence Ex. 6 - Personal Privacy and reported what had happen. She indicated that was staggering and said she called an ambulance because she was

Road, had alerted with the message "explosive methane - evacuate". She explained that her

DIM0122245 DIM0122245

tc when she went tc when she we were to what tc when she went tc when she we were to what tc when she was to what tc when she we were to what tc when she was tc when she was tc when she was tc when she was tc which we want to what tc whe

As you recall I called you sometime after I hung up with Ex.6-Personal Privacy You indicated, a team enroute to understand that in addition to DEP both Moody and Cabot were present at Ex.6-Personal Privacy though I am unclear of exactly how much methane was detected.

My concern is the following: there is no methane removal system in-place at Ex. 6 - Personal Privacy the current water treatment system installed in the bedroom closest of Ex. 6 - Personal Privacy only chlorinates and carbon filters the water. During our last groundwater sampling event at Ex. 6 - Personal Privacy there was a large volume of methane gas detected off gassing from the groundwater. The way the current treatment system located in the closest is configured, off gassing methane could escape into the bedroom and house and potentially lead to unsafe conditions either due to explosive levels or potentially displacing oxygen leading to an oxygen deficient atmosphere.

Please call me anytime on my mobile if you want to discuss further.

Rupert

Richard Rupert, On-Scene Coordinator U.S. EPA 1650 Arch Street - 3HS31 Philadelphia, PA 19103 (215) 814-3463 - office 215 514-8773 - mobile rupert.richard@epa.gov

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise." Colin Powell

DIM0122245 DIM0122246